

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

1. (Original) A photo-curable resin composition which comprises a cationic photopolymerization initiator (A), a cationically polymerizable compound (B), a cyclic polyether compound (C) and another organic compound (D), wherein the amount of (B) and the amount of (C) are 1.0 to 99.9% by mass and 0.0 to 10.0% by mass, respectively, both based on the sum of (B), (C) and (D), and the sum (F) of the fluorine atoms in ~~a fluorine-containing~~ an organic compound is 0.0 to 40.0% by mass, based on the sum of (B), (C) and (D), and wherein at least 1/1000 mass ratio of the (B) component is a compound containing an oxetanyl group, and both of the contents of (C) and (F) are not 0.0% by mass at the same time.
2. (Original) The photo-curable resin composition according to claim 1, which further comprises an inorganic filler in an amount of 0 to 250 parts by mass, based on 100 parts by mass of the sum of the components (A), (B), (C) and (D).
3. (Currently Amended) The photo-curable resin composition according to claim ~~[[1 or]]~~ 2, wherein the (B) and/or (D) component(s) contain a fluorine-containing coupling agent.

4. (Original) The photo-curable resin composition according to claim 1, wherein the sum of the fluorine atoms in the fluorine-containing organic compounds is 0.1 to 40.0% by mass.

5. (Currently Amended) A sealing agent for a flat panel display, which comprises the photo-curable resin composition according to ~~any one of claims 1 to~~ claim 4.

6. (Original) A method for sealing a flat panel display using the sealing agent according to claim 5.

7. (Original) A flat panel display which is obtained by the method for sealing according to claim 6.

8. (New) The photo-curable resin composition according to claim 1, wherein the (B) and/or (D) component(s) contain a fluorine-containing coupling agent.

9. (New) A sealing agent for a flat panel display, which comprises the photo-curable resin composition according to claim 8.

10. (New) A sealing agent for a flat panel display, which comprises the photo-curable resin composition according to claim 3.

11. (New) A sealing agent for a flat panel display, which comprises the photo-curable resin composition according to claim 2.

12. (New) A sealing agent for a flat panel display, which comprises the photo-curable resin composition according to claim 1.

13. (New) A method for sealing a flat panel display using the sealing agent according to claim 12.

14. (New) A method for sealing a flat panel display using the sealing agent according to claim 11.

15. (New) A method for sealing a flat panel display using the sealing agent according to claim 10.

16. (New) A method for sealing a flat panel display using the sealing agent according to claim 9.

17. (New) A flat panel display which is obtained by the method for sealing according to claim 16.

18. (New) A flat panel display which is obtained by the method for sealing according to claim 15.

19. (New) A flat panel display which is obtained by the method for sealing according to claim 14.

20. (New) A flat panel display which is obtained by the method for sealing according to claim 13.

21. (New) The photo-curable resin composition according to claim 1, wherein the amount of the cyclic polyether compound is 0.3 to 10% by weight based on the sum of (B), (C) and (D).